Space Weather Highlights 12 September - 18 September 2016

SWPC PRF 2142 19 September 2016

Solar activity was at very low levels throughout the period. Region 2585 (N08, L=222, class/area=Ekc/590 on 03 Sep) was the largest and most magnetically complex region on the disk this week, however, the region only produced low-level B-class flare activity before rotating out of view early in the period. Region 2592 (N14, L=027, class/area=Bxo/10 on 18 Sep) produced several low-level B-class flares in the latter half of the week, but was relatively simple throughout the period. No Earth-directed coronal mass ejections (CMEs) were observed this period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 12-14 Sep, moderate levels on 18 Sep, and were at normal levels on 15-17 Sep.

Geomagnetic field activity was quiet on 13, 16-27 Sep and quiet to unsettled on 12, 14-15, and 18 Sep under a mostly nominal solar wind regime.

Space Weather Outlook 19 September - 15 October 2016

Solar activity is expected to be at very low levels with a change for C-class flares throughout the period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to reach very high levels on 02-05 Oct with high levels expected on 21-25, 29 Sep-01 Oct, and 06-11 Oct following solar wind enhancements associated with the influence of multiple coronal hole high speed streams. Electron flux is expected to be at normal or normal to moderate levels throughout the remainder of the period.

Geomagnetic field activity is likely to reach G2 (Moderate) geomagnetic storm levels on 28-30 Sep and G1 (Minor) storm levels on 19-20 Sep and 01 Oct due to the anticipated influence of multiple, recurrent coronal hole high speed streams. Active conditions are expected on 21 Sep and 02-05 Oct with generally quiet or quiet to unsettled conditions likely throughout the remainder of the period.



Daily Solar Data

	Radio	Sun	Sunspot	X-	-ray			F	lares				
	Flux	spot	Area	Back	ground	_	X-ra	<u>y</u>		O	otical		
Date	10.7cm	No.	(10 ⁻⁶ hemi.) F	lux	C	<u> M</u>	X	S	1	2	3	4
12 September	87	57	290	A8.3	0	0	0	0	0	0	0		0
13 September	86	27	60	B1.1	0	0	0	0	0	0	0		0
14 September	85	24	30	B1.3	0	0	0	0	0	0	0		0
15 September	84	12	10	B1.0	0	0	0	0	0	0	0		0
16 September	84	13	10	A7.4	0	0	0	0	0	0	0		0
17 September	80	14	10	A9.0	0	0	0	1	0	0	0		0
18 September	83	47	40	A9.2	0	0	0	3	2	0	0		0

Daily Particle Data

		Proton Fluen otons/cm ² -da		_		Electron Flue etrons/cm ² -d	
Date	>1 MeV	>10 MeV	>100 MeV		>0.6 MeV	>2MeV	>4 MeV
12 September	3.	3e+05	1.3e+04	3.:	5e+03	9.1	e+07
13 September	3.	7e+05	1.3e+04	3.0	0e+03	4.2	e+07
14 September	4.	1e+05	1.4e + 04	3	5e+03	2.3	e+07
15 September	1.	7e+05	1.3e+04	3	3e+03	1.1	e+05
16 September	3.	4e+05	1.3e+04	3.	2e+03	1.0	e+05
17 September	3.	7e+05	1.4e + 04	3	5e+03	5.6	e+04
18 September	3.	3e+05	1.4e+04	3.	2e+03	1.7	e+06

Daily Geomagnetic Data

	Mi	ddle Latitude	H	igh Latitude	Estimated			
	Fr	edericksburg		College		Planetary		
Date	A	K-indices	A	K-indices	A	K-indices		
12 September	6	2-2-2-2-2-1-1	3	2-2-1-0-1-0-0-0	6	3-2-1-1-2-1-1-2		
13 September	4	2-1-2-1-2-1-0-1	6	1-1-2-4-2-0-0-0	5	2-2-2-1-1-0-1		
14 September	8	1-2-2-3-2-2	12	1-1-3-0-5-3-2-2	8	2-2-2-3-2-3-2		
15 September	6	2-2-2-1-2-1-2	9	2-3-4-3-2-1-0-0	7	3-3-2-2-1-1-0-1		
16 September	3	0-0-1-1-2-1-2-1	1	0-0-0-0-1-1-0	3	0-0-1-1-1-2-1		
17 September	4	2-0-1-2-2-1-1-1	1	2-0-0-0-0-0-0	4	2-1-1-2-1-0-0-1		
18 September	8	1-1-2-3-3-2-2-1	17	1-1-1-4-5-5-1-1	7	2-1-2-3-3-2-2-1		




Alerts and Warnings Issued

Date & Time of Issue UTC		ite & Time Event UTC
12 Sep 1416	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	02/1305
13 Sep 1320	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	02/1305
14 Sep 1322	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	02/1305
16 Sep 1859	WATCH: Geomagnetic Storm Category G1 predi	cted
17 Sep 0143	WATCH: Geomagnetic Storm Category G1 predi	cted



Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7cm	A Index	Kp Index	Date	10.7cm	-	Kp Index
19 Sep	85	18	5	03 Oct	90	15	4
20	85	20	5	04	90	15	4
21	85	12	4	05	90	15	4
22	85	8	3	06	90	5	2
23	85	5	2	07	85	5	2
24	88	5	2	08	85	5	2
25	90	5	2	09	85	5	2
26	95	15	3	10	85	5	2
27	100	10	3	11	85	5	2
28	100	35	6	12	85	5	2
29	100	35	6	13	85	5	2
30	100	35	6	14	80	5	2
01 Oct	95	30	5	15	80	5	2
02	95	18	4				



Energetic Events

		Time		X-	-ray	Optio	cal Informat	ion	P	eak	Sweep Fro		
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inter	sity	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	

No Events Observed

Flare List

					(Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
13 Sep	0440	0444	0447	B2.7			2585
14 Sep	1540	1544	1550	B1.9			2589
14 Sep	1906	1911	1924	B2.4			2589
15 Sep	0315	0320	0326	B2.3			2591
15 Sep	0427	0438	0443	B4.1			
16 Sep	0743	0747	0757	B2.4			
16 Sep	1203	1221	1358	B2.9			
17 Sep	0555	0605	0618	B4.0			2592
17 Sep	0700	0703	0709	B2.1			2592
17 Sep	0808	0811	0817	B1.9	SF	N17E51	2592
18 Sep	0244	0251	0257	B4.1			2592
18 Sep	1041	1100	1147	B6.8	1F	N16E36	2592
18 Sep	1130	1131	1201		1F	N15E39	2592
18 Sep	1335	1335	1337		SF	N07E17	
18 Sep	1417	1418	1419		SF	N07E17	2593
18 Sep	1418	1418	1419		SF	N15E37	2592
18 Sep	1939	1948	1955	B2.0			2592



Region Summary

	Locatio	n	Su	nspot C	haracte	ristics		Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	-ray			O	ptica	.1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	on 2585												
30 Aug	N08E85	221	plage					1							
31 Aug	N08E71	221	230	9	Csi	13	В	2							
01 Sep	N07E56	223	520	11	Eai	8	В				3				
02 Sep	N06E43	223	460	11	Ekc	17	BG				8				
03 Sep	N08E31	222	590	11	Ekc	14	BG				2				
04 Sep	N08E16	224	550	12	Ekc	25	BG				2				
05 Sep	N08E02	224	420	12	Eki	12	В				1				
06 Sep	N07W11	224	400	13	Eki	10	BG								
07 Sep	N08W25	225	430	13	Eki	12	BG								
08 Sep	N08W37	224	380	12	Eko	12	BD				1				
09 Sep	N09W50	224	380	11	Eko	13	BG				1				
10 Sep	N08W64	224	340	12	Eko	9	BD								
11 Sep	N08W78	225	240	11	Eso	7	В								
12 Sep	N08W92	226	220	11	Eao	7	В								
								3	0	0	18	0	0	0	0
Crossed	West Limb) .													
Absolut	e heliograpl	hic lor	igitude: 2	24											
		Regi	on 2587												
04 Sep	N10E28	212	0	1	Axx	2	A								
05 Sep	N10E14	212	plage												
06 Sep	N10W00	213	plage												
07 Sep	N10W14	214	plage												
08 Sep	N10W28	215	plage												
09 Sep	N10W42	216	plage												
10 Sep	N10W56	216	plage												
11 Sep	N10W70	217	plage												
			*												

12 Sep N10W84

Crossed West Limb. Absolute heliographic longitude: 213

218

plage



 $0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0$

Region Summary - continued

	Location	on	Su	inspot C	haracte	ristics]	Flares	S			
		Helio	Area	Extent	Spot	Spot	Mag	X	-ray			0	ptica	.1	
Date	Lat CMD	Lon 1	0 ⁻⁶ hemi.	(helio)	Class	Count	Class	С	M	X	S	1	2	3	4
		Regio	n 2588												
06 Sep	N12E08	205	10	3	Bxo	2	В								
07 Sep	N12W06	206	30	5	Dso	6	В								
08 Sep	N12W19	206	10	6	Bxo	4	В								
09 Sep	N13W33	207	10	6	Axx	1	A								
10 Sep	N11W51	210	10		Axx	1	A								
11 Sep	N11W65	212	5		Axx	1	A								
12 Sep	N11W79	213	plage												
13 Sep	N11W88	210	plage												
								0	0	0	0	0	0	0	0
	l West Lim te heliograp		gitude: 2	.06											
		Regio	n 2589												
00.0	N114E14	_		2	D	2	D								
08 Sep	N14E14	173	10	3	Bxo	3	В				2				
09 Sep	N15W01	175	30	4	Cro	7	В				2				
10 Sep	N14W13	173	80	6	Dai	12	В								
11 Sep	N15W28	175	70 50	6	Dso	8	В								
12 Sep	N15W42	176	50	6	Cso	6	В								
13 Sep	N14W54 N12W71	175 178	20 20	6 1	Cso Hsx	2 1	B A								
14 Sep	N12W71 N13W86	180		1	пѕх	1	А								
15 Sep	N13 W 60	100	plage					0	0	0	2	0	0	0	0
	l West Limb te heliograp		gitude: 1	75				U	U	U	2	U	U	U	U
		Regio	n 2590												
09 Sen	N08W20	193	10	3	Bxo	4	В								
10 Sep	N08W34	194	plage	5	DAU	-	D								
10 Sep 11 Sep	N08W48	195	plage												
12 Sep	N08W62	196	10	1	Axx	1	A								
12 Sep 13 Sep	N06W74	195	plage	•	1 1/1/1	•	1.								
14 Sep	N06W89	197	plage												
~ • p	00 ,, 0)		P50					0	0	0	0	0	0	0	0
Crossed	West Lim	h						~	Ü	Ü	•	Ü	Ü	Ü	J

Crossed West Limb. Absolute heliographic longitude: 193



Region Summary - continued

	Location	on	Su	inspot C	haracte	ristics]	Flares	;			
		Helio	Area	Extent	Spot	Spot	Mag	X	-ray			0	ptica	1	
Date	Lat CMD	Lon 1	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	С	M	X	S	1_	2	3	4
		ъ.	2501												
		Kegio	on 2591												
10 Sep	N05E18	142	20	5	Cro	4	В				2				
11 Sep	N05E03	144	25	6	Cro	7	В								
12 Sep	N05W11	145	10	3	Bxo	3	В								
13 Sep	N04W24	145	40	7	Cso	5	В								
14 Sep	N04W39	147	10	2	Axx	3	A								
15 Sep	N05W51	145	plage												
16 Sep	N05W66	147	plage												
17 Sep	N05W81	149	plage												
								0	0	0	2	0	0	0	0
Crossed	l West Limi	b.													
Absolut	te heliograp	hic lon	gitude: 1	44											
		Regio	on 2592												
15 Sep	N14E66	27	10	3	Bxo	2	В								
16 Sep	N14E53	27	10	2	Bxo	3	В								
17 Sep	N14E39	29	10	5	Bxo	4	В				1				
17 Sep 18 Sep	N14E27	27	10	6	Bxo	5	В				1	2			
то вер	111127	2,	10	O	DAO	J	D	0	0	0	2	2	0	0	0
Still on	Dick							Ü	O	Ü	_	_	O	O	O
	te heliograp	hic lon	oitude: 2	7											
1100014	ie nemograp		Situac. 2	,											
		Regio	on 2593												
18 Sep	N07E11	43	20	4	Cri	9	В				1				
то вер	110711	43	20	-	CII		Ъ	0	0	0	1	0	0	0	0
Still on	Dick							Ü	Ü	Ü	•	Ü	O	Ü	Ü
	te heliograp	hic lon	gitude: 4	.3											
11000101	ie nenogrup	1011	5114401 1												
		Regio	on 2594												
18 Sep	N12E11	43	10	3	Cro	3	В								
10 pcb	.11211	7.5	10	5	210	5	ם	0	0	0	0	0	0	0	0
Still on	Dick							U	Ü	J	U	J	J	0	J
	te heliogran	hic lon	gitude: 4	.3											

Absolute heliographic longitude: 43




Recent Solar Indices (preliminary) Observed monthly mean values

	S	Sunspot N	umbers			Radio	Flux	Geoma	gnetic
	Observed values	Ratio	Smo	oth values	_	Penticton	Smooth	Planetary	Smooth
Month	SEC RI	RI/SEC	SEC	C RI		10.7 cm	Value	Ap	Value
				2014					
September	127.4	78.0	0.69	107.4	61.1	1 146.1	140.1	11	9.3
October	92.0	54.0	0.66	101.7	58.4	4 153.7	138.4	10	9.9
November	101.8	62.2	0.69	97.9	56.8				10.1
December	120.0	67.7	0.65	95.2	55.3	3 158.7	137.0	12	10.5
				2015					
January	101.2	55.8	0.66	92.1	53.6	5 141.7	135.8	10	11.0
February	70.6	40.0	0.63	88.3	51.7	7 128.8	133.8	10	11.5
March	61.7	32.7	0.62	84.2	49.3	3 126.0	131.2	17	12.0
April	72.5	45.2	0.75	80.5	47.3	3 129.2	127.3	12	12.4
May	83.0	53.3	0.71	77.5	45.7	7 120.1	123.3	9	12.7
June	77.3	39.9	0.53	73.1	43.3	3 123.2	119.5	14	13.0
July	68.4	39.5	0.58	68.2	41.0	0 107.0	116.0	10	13.1
August	61.6	38.6	0.63	65.5	39.8	3 106.2	113.3	16	13.1
September	72.5	47.2	0.65	64.0	39.5	5 102.1	110.8	16	12.8
October	59.5	38.2	0.62	61.8	38.6	5 104.1	107.9	15	12.5
November	61.8	37.3	0.61	59.0	36.8	8 109.6	105.3	13	12.5
December	54.1	34.8	0.64	55.1	34.7	7 112.8	102.5	15	12.5
				2016					
January	50.4	34.2	0.67	51.4	32.7	7 103.5	99.9	10	12.3
February	56.0	33.8	0.61	49.6	31.6	5 103.5	98.1	10	12.0
March	40.9	32.5	0.80			91.6		11	
April	39.2	22.8	0.58			93.4		10	
May	48.9	31.3	0.64			93.1		12	
June	19.3	12.5	0.65			81.9		9	
July	36.8	19.5	0.53			85.9		10	
August	50.4	30.4	0.60			85.0		10	

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 12 September 2016

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 12 September 2016

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

 $http://spaceweather.gov/weekly/ {\hbox{\it --}} Current \ and \ previous \ year$

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

